



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

Snow Cones - Strawberry Cough

Sample ID: 2311EXL2789.10554
Strain: Strawberry Cough
Matrix: Plant
Type: Preroll
Sample Size: ; Batch:

Produced:
Collected: 11/14/2023
Received: 11/14/2023
Completed: 11/17/2023
Batch#:

Client
goo-dextracts
Lic. #
1920 E Warner Ave
Santa Ana, CA 92705



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	11/17/2023	Complete
Moisture	11/17/2023	13.0% - Complete

Cannabinoids

Complete

44.598% Total THC	1.637% Total CBD	47.155% Total Cannabinoids
-----------------------------	----------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.125	0.250	0.3744	3.744
CBD	0.125	0.250	0.5312	5.312
CBDa	0.125	0.250	1.2610	12.610
CBDV	0.125	1.000	ND	ND
CBDVa	0.257	0.780	ND	ND
CBG	0.125	0.500	0.1813	1.813
CBGa	0.125	0.250	0.4150	4.150
CBN	0.125	0.250	ND	ND
Δ8-THC	0.125	0.500	ND	ND
Δ9-THC	0.125	0.500	ND	ND
THCa	0.250	0.500	50.8527	508.527
THCV	0.250	0.500	ND	ND
Total THC			44.598	445.978
Total CBD			1.637	16.370
Total CBG			0.545	5.453
Total			47.155	471.546

Date Tested: 11/17/2023

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
Cannabinoids: HPLC, CAN-SOP-001
Water Activity: Water Activity Meter, WA-SOP-001
Moisture Content: Moisture Analyzer, MO-SOP-001
Foreign Matter: Visual Inspection, FM-SOP-001



Dr. Jerry White PhD Bryan Zahakaylo

Jerry White, PhD
Chief Scientific Officer
11/17/2023

Bryan Zahakaylo
Analyst
11/17/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.